



LIFTING XPERTS

Catalogus





1. Cranes
2. Lifting beams
3. Spreader beams
4. Clamps
5. Lifting equipment
6. Manbaskets



1. Cranes

LiftingXperts Jib Cranes



- WLL 63 KG – 3200 KG
- Outreach max. 6 m
- Slewing range max. 180°
- Classification EN 13001: hoisting class HC2, stability class S2
- Low profile jib arm, large lifting height
- Suitable for outdoor operation
- Finish : galvanized or white / orange painted

LiftingXperts Underslung Cranes



- WLL 500 – 1000 – 2000 – 3200 – 6300 KG
- Span max. 10m
- Order as complete crane or as crane kit to build your own.
- Crane kit set includes all the components excl. crane girder
- ATEX version available
- No welding, crane girder is bolted to the wheel boxes
- Standard wheelbox sizes for HEB 160 – 180 – 200
- Finish : galvanized or white / orange painted


LiftingXperts Gantry Cranes



- WLL 500 – 6300 KG
- Span max. 10m
- Manuel or electric chainhoist
- Quick assembly
- Suitable for in / outdoor operation
- Finish : galvanized or white / orange painted


2. Lifting beams

LiftingXperts Lifting Beams



- Type LiftingXperts 1703
- WLL 8/6 – 12/10 – 18/12 – 25 Ton
- Length 2500 – 4250 mm
- According NEN EN 13155
- Finish : galvanized or white / orange painted

LiftingXperts Standard Lifting Beam



- Type LiftingXperts standard
- WLL 500 – 1000 – 2000 – 3000 – 5000 KG
- Length 1000 – 6000 mm
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts Container Lifting Beams



- Type : 1701A_35-20 ft 2 legged
- WLL up to 35 Ton
- Suitable for 20 & 40 Ft containers
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts Container Lifting Beams



- Type : 1701A_35-20 ft middle eye masterlink / shackle
- WLL up to 35 Ton
- Suitable for 20 & 40 Ft containers
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts Container Lifting Beams




- Type : 1701A_35-20 ft middle eye direct
- WLL up to 35 Ton
- Suitable for 20 & 40 Ft containers
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts Multilugs



- Type : 1701D multilug
- WLL up to 800 Ton
- Standard lengths : 2500 – 5000 – 6000mm
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts Modu Lifting Beams




- Type : 1701C
- WLL : 1000 – 3000 – 6000 – 10.000 – 15.000 – 20.000 KG
- Standard lengths : 3000 – 6000mm
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts Lifting Beams



- Type : 1701E
- WLL up to 35 Ton
- Standard lengths : 2500 – 4000 – 5000 – 6000mm
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts Lifting Beams



- Type : 1701G
- WLL up to 35 Ton
- Standard lengths : 2500 – 4000 – 5000 – 6000mm
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts Lifting Beams



- Type : 1701S automatic balancer
- WLL up to 15 Ton
- Radio remote controlled
- Length : according to your measurements
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts Lifting Beams



- Type : 1701F
- WLL up to 30 Ton
- Lengths : 2500 – 4150mm
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts Lifting Beams



- Type : 1715 big bag lifting
- WLL up to 2.5 Ton
- Material : Steel or Stainless steel version
- According NEN EN 13155
- Finish : White / orange painted

3. Spreaders

LiftingXperts Spreaders



- Type LiftingXperts 1702B
- WLL 5 – 10 – 25 – 50 – 60 – 100 Ton
- Length : according to your measurements
- According NEN EN 13155

- Finish : galvanized or white / orange painted



LiftingXperts spreader




- Type : 1702A
- WLL up to 1000 Ton
- Lengths : according to your measurements
- According NEN EN 13155
- Finish : White / orange painted

LiftingXperts spreader



- Type : 1702C
- WLL up to 6 T
- Lengths : 2500 - 4150 mm
- According NEN EN 13155
- Finish : White / orange painted or galvanized

LiftingXperts spreader



- Type : 1702K
- WLL up to 50 T
- Material : Steel or aluminium
- Lengths : according to your measurements
- According NEN EN 13155
- Finish : White / orange painted or galvanized

LiftingXperts spreader



- Type : 1717
- WLL up to 500 Ton
- Material : Steel
- Lengths : according to your measurements
- According NEN EN 13155
- Finish : White / orange painted or galvanized

LiftingXperts Triangel



- Type : 1717T
- WLL up to 500 Ton
- Material : Steel
- Lengths : according to your measurements
- According NEN EN 13155
- Finish : White / orange painted or galvanized

LiftingXperts lifting frame



- Type : 1717**F**
- WLL up to 50 Ton
- Lengths : according to your measurements
- According NEN EN 13155
- Finish : White / orange painted or galvanized


4. Clamps

LiftingXperts Clamps



- Type LiftingXperts 1704B universal roof panel clamp
- WLL 600 KG
- Hand hydraulic pump or electronic hydraulic pump with radio remote control
- Adjustable from 800 -1250mm
- According NEN EN 13155

LiftingXperts Clamps



- Type LiftingXperts 1704A concrete floor clamp
- WLL 5.000 KG set of clamps / spreader beam 10.000 KG
- Length adjustable from 2000 – 5400 mm
- According NEN EN 13155

5. Lifting Equipment

LiftingXperts C- Hook



- Type LiftingXperts 1707 C- hooks
- WLL : according to your measurements
- Lengths : according to your measurements
- According NEN EN 13155
- Finish : White / orange painted or galvanized

LiftingXperts lifting equipment




- Type LiftingXperts 1707M material skip
- WLL : 375 Ltr – 500 Ltr – 1000 Ltr – 1500 Ltr – 2000 ltr
- According NEN EN 13155
- Finish : White / orange painted or galvanized

LiftingXperts lifting equipment



- Type LiftingXperts 1707LK Lifting key for concrete floors
- WLL : 3600 KG a set
- According NEN EN 13155
- Finish : galvanized

LiftingXperts lifting equipment



- Type LiftingXperts vacuum lifting equipment
- WLL :
- According NEN EN 13155
- Finish : White / orange painted or galvanized

6. Manbaskets

LiftingXperts manbasket



- Type LiftingXperts 1719 Manbaskets
- WLL : 1 – 2 – 3 persons
- According NEN EN 14502-1
- Finish : White / orange painted or galvanized



Van Soest B.V.
Morsestraat 17, 4004 JP Tiel

www.vansoest-bv.nl
info@vansoest-bv.nl
0344-610607